

Making Decisions With Excel

We can instruct a spreadsheet to make decisions on entered labels and values. This is achieved by using the IF function, which takes the form:

IF (something is true, do this, otherwise, do something else)

The IF function uses mathematical symbols (operators) to make comparisons:


Operator	Meaning
<	less than
>	greater than
<=	less than or equal to
>=	greater than or equal to
=	equal to
<>	is not equal to

For example, look at the following formula:

=IF(A1>0,A1,0)

This formula reads: **IF** the contents of cell A1 is greater than zero **THEN** display the contents of A1, **OTHERWISE** display zero. The sections of an IF statement must be separated by commas. The first comma stands for **THEN** and the second comma stands for **OTHERWISE**.


The following diagram shows the sections of the formula:




The IF Function


A template for a company that gives discounts on items priced over \$100 will be used.

- 1 Load Microsoft Excel or close the current documents and click on the OPEN icon in the QUICK ACCESS TOOLBAR or select OPEN from within the FILE tab or FILE menu.
- 2 Access the EXCEL 2022 SUPPORT FILES, open the CHAPTER 12 folder and open the CHAPTER 12 file, selecting YES to the READ-ONLY message.




NOTE: The spreadsheet is being told that **IF** the contents of the cell B4 is greater than 100, **THEN** display YES, **OTHERWISE** display NO. Quotation marks are used around YES and NO because they are LABELS.





6 Mathematical calculations can also be done within IF functions.



- NOTE:**
- i For the "", press the double quotation key twice.
 - ii The formula reads: **IF** the value in cell B4 is greater than 100, **THEN** work out and display B4 times 10%, **OTHERWISE** display a blank space (two quotes entered next to one another).
 - iii You should receive a blank space in cell C4 as the Radio costs less than \$100.

Chapter 12 - Read-Only

File Home Insert Draw Page Layout Formulas Data Review View Help

Clipboard Font Alignment Number

AutoSave Off

Search (Alt+Q)

Calibri 11

Wrap Text

Currency

\$ % , .00 .00

Conditional Formatting Table

fx =IF(B4>100,B4*10%, "")

	A	B	C	D	E	F	G
1		DISCOUNT CITY					
2							
3		ITEM	PRICE	DISCOUNT			
4		Radio	\$53.00				
5		TV	\$525.00	\$52.50			
6		Toaster	\$81.50				
7		Heater	\$95.60				
8							

8 Autofill the formula down for the other 3 cells then format the 4 cells to CURRENCY with two decimal places and to be RIGHT ALIGNED.

Chapter 12 - Read-Only

File Home Insert Draw Page Layout Formulas Data Review View Help

Clipboard Font Alignment Number

AutoSave Off

Search (Alt+Q)

Calibri 11

Wrap Text

Currency

\$ % , .00 .00

Conditional Formatting Table

fx 137.5

	A	B	C	D	E	F	G
1		DISCOUNT CITY					
2							
3		ITEM	PRICE	DISCOUNT			
4		Radio	\$53.00				
5		TV	\$525.00	\$52.50			
6		Toaster	\$137.50	\$13.75			
7		Heater	\$95.60				
8							

9 Change the price of the Toaster to \$137.50 and a discount should be allocated to it.

Chapter 12 - Read-Only

File Home Insert Draw Page Layout Formulas Data Review View Help

Clipboard Font Alignment Number

AutoSave Off

Search (Alt+Q)

Calibri 11

Wrap Text

Currency

\$ % , .00 .00

Conditional Formatting Table

fx 100

	A	B	C	D	E	F	G
1		DISCOUNT CITY					
2							
3		ITEM	PRICE	DISCOUNT			
4		Radio	\$53.00				
5		TV	\$525.00	\$52.50			
6		Toaster	\$100.00				
7		Heater	\$95.60				
8							

10 Change the cost of the Toaster to \$100. A discount is not given because the value is not over \$100.